



Cardiac PET Stress Test Patient Instructions

Date:	Time:	

- NON-CAFFEINATED CLEAR LIQUIDS ALLOWED the morning of your appointment.
- ✓ NO SOLID FOOD 4 HOURS PRIOR TO APPOINTMENT TIME.
- ✓ NO COFFEE, DECAF COFFEE, TEA, DECAF TEA, HERBAL TEA, SODA, CAFFEINATED BEVERAGES, OR CHOCOLATE FOR 12 HOURS PRIOR TO YOUR APPOINTMENT TIME. Do not take Excedrin, Anacin, caffeine tablets, or other caffeine-containing medications for 12 hours prior to your appointment time.
- ✓ An IV will be placed when you arrive for the exam. Please stay well-hydrated in the 48-hours prior to your appointment as this will aid in IV placement.
- ✓ Stop all nitrates, including nitrate patches, 24 hours prior to your test. (See attached list for more information).
- Please allow 1 hour to accomplish the scan. Feel free to bring reading material or electronic devices in case there is a wait time associated with the test.
- Please wear comfortable, loose fitting clothing: shorts or pants and a t- shirt. No metal button, zippers, or jewelry from the waist up. Do not use body lotions, oils, or powder on the chest or arms that day.
- Please be advised, you be asked to remove everything from the waist up for your test. A gown will be provided.
- If you are taking any medication that contain Aminophylline, Theophylline, Persantine (dipyridamole) or Aggrenox, please stop this medication for 24 hours prior to your appointment time.

- If you are diabetic and have a morning appointment, hold insulin and/or oral diabetic medication the morning of your test and bring glucometer and insulin/diabetic medication to the appointment.
- ✓ If you are diabetic and have an appointment after 12 pm, eat a light breakfast before 8 am (no caffeinated beverages). Take insulin and/ or oral diabetic medication with meal. Bring glucometer and insulin/diabetic medication to the appointment.
- ✓ If you use inhalers, please bring them with you.
- If you are claustrophobic, please bring with you any prescribed, oral medication that you routinely use to combat anxiety.
- Please bring a current list of your medications including dosages.

DO NOT TAKE ANY OF THE FOLLOWING MEDICATIONS FOR 24 HRS PRIOR TO YOUR STRESS TEST

vasobilators: aminophylline theophylline persantine dipyridamole aggrenox

anexa

nitroglycerin (glyceryl trinitrate or GTN) isosorbide dinitrate isosorbide mononitrate

NITRATES: